



## Minimum Legal Drinking Age Laws

### **Responsibility.org Position:**

Responsibility.org is dedicated to eliminating underage drinking and all forms of impaired driving. To help achieve this, we support the minimum legal drinking age law of 21 years of age as well as laws that enforce it, including penalties (e.g., mandatory fines, community service, license suspension) for illegal possession, illegal attempts to purchase, underage purchase, and underage consumption. Responsibility.org encourages the use of mandatory mental health and substance use disorder screening and assessment among underage drinking offenders to determine whether they would benefit from treatment interventions.

*This paper includes the most current and relevant data for this position as of Dec. 1, 2025.*

---

### **Overview:**

Minimum legal drinking age (MLDA) laws specify an age below which the purchase, possession, and/or consumption of alcoholic beverages is illegal. The restriction of access to alcohol is designed to curb underage drinking and subsequently reduce drinking and driving among those under 21 years of age. Additionally, such restriction seeks to mitigate other alcohol-related harms. Adolescence is a critical period of neurodevelopment, and underage drinking has been shown to negatively affect cognition, brain structure, and function (Lees et. al, 2020).

In 1984, the U.S. Federal government enacted the [National Minimum Drinking Age Act](#) [23 U.S.C. § 158], thereby reducing Federal transportation funds for states that failed to prohibit persons under 21 years of age from purchasing or publicly possessing alcohol. By 1988, all states had complied. In addition to lowering the MLDA, states have enacted a variety of other statutes to limit access to alcohol and prevent underage consumption to include legal consequences for the following:

- Possessing or consuming alcohol or being under the influence of alcohol under the legal drinking age.
- Adults providing alcohol to minors for underage drinking events on property they own, lease, or otherwise control.
- Purchasing or attempting to purchase alcohol by a minor under the legal drinking age.
- Using false or fake identification for the purpose of obtaining alcohol.

The penalties for violating the MLDA vary by state. Common sanctions include fines, community service, driver's license suspension, and assessment/treatment.

For those who violate and receive a citation, detention, and/or arrest for underage drinking, that triggers the process of [mental health and substance use disorder screening and assessment](#) to determine whether there are risk factors that should be addressed further.

**Failure to identify substance abuse or other pertinent indicators in a young person's life can lead to future alcohol-related offenses and further contact with the criminal justice system.**

**Moreover, there is a significant body of research that indicates that early age of first drink is consistently associated with elevated rates of alcohol dependence later in life** (DeWitt et al., 2000; Grant & Dawson, 1997; Hingson et al. 2006; McGue et al., 2001). Therefore, early intervention is important not only to address potential escalation in criminal behavior but also to address potential substance use issues that manifest later in life.

Over the years there have been various attempts to repeal the minimum legal drinking age in several states. As the effectiveness of the 21 MLDA is supported by numerous studies, bills proposing lowering the legal age to 18 have been met with wide opposition and subsequent defeat.

### **Prevalence:**

As of 1988, all fifty states and Washington, D.C. have enacted the minimum legal drinking age of 21.

### **Research Highlights:**

- The National Highway Traffic Safety Administration (NHTSA) estimates approximately 800 to 900 lives are saved every year as a result of MLDA laws – more than 28,000 lives since 1988 (NHTSA, 2005).
- Voas et al. (2003) conducted an analysis of data on all drivers younger than 21 who were involved in fatal crashes in the U.S. from 1982 to 1997. The researchers found that raising the MLDA to 21 years of age and establishing a zero tolerance blood alcohol concentration (BAC) law for young drivers resulted in substantial reductions in alcohol-positive involvement in fatal crashes.
- Hedlund et al. (2001) found that between 1982 and 1998, MLDA laws were a key factor in a 59% reduction in the rate of young alcohol-impaired drivers involved in fatal crashes, along with demographic shifts, 0.02 g/dL BAC laws for drivers under 21, and other general anti-drunk driving efforts. The researchers posited that MLDA laws have been effective because they reduced underage alcohol consumption and encouraged youth to separate drinking and driving.
- The Centers for Disease Control (CDC) estimates about 4,000 people under the age of 21 in the U.S. die every year – directly or indirectly – from excessive drinking, including alcohol-related motor vehicle crashes.
- In 2023, 30% of drivers ages 15 to 20 who were killed in crashes had BACs of 0.01 g/dL or greater. Among those young drivers killed who had alcohol in their systems, 87% had a BAC of 0.08 g/dL or higher (NHTSA, 2025).

- In their review of the MLDA and public health effects, Carpenter and Dobkin (2011) concluded that an MLDA of 21 resulted in less alcohol consumption and alcohol-related harms compared to a MLDA at lower ages.
- A meta-analysis of MDLA literature published between 1960 and 2000 identified 33 studies on MLDA and alcohol consumption and 79 studies on MLDA and traffic crashes that met their criteria for quality of methodology. Of the studies that dealt with the relationship between MLDA and alcohol consumption, 33% found a reduction in youth alcohol consumption associated with a higher MLDA. Similarly, 58% of the studies found a decrease in traffic crashes associated with a higher MLDA. This suggests that there is an inverse relationship between MLDA laws and youth alcohol consumption and youth traffic crashes. (Wagenaar and Toomey, 2002).
- In their review of the literature, Shults et al. (2001) found that modifying MLDA laws resulted in changes of roughly 10-16% in alcohol-related crashes. When the MLDA is increased, crashes decrease, and the inverse is true when the MLDA is decreased. McCartt et al. (2010) reported similar findings.

*Established in 1991 as a national not-for-profit organization, Responsibility.org leads the fight to eliminate impaired driving and underage drinking.*

## **References:**

Carpenter C., & Dobkin, C. (2011). The minimum legal drinking age and public health. *Journal of Economic Perspectives*, 25, 133-156.

Centers for Disease Control and Prevention. (n.d.). Underage drinking. Retrieved November 2024, from <https://www.cdc.gov/alcohol/underage-drinking/index.html>

DeWitt, D., Adlaf, E., Offord, D., & Ogborne, A. (2000). Age at first alcohol use: A risk factor for the development of alcohol disorders. *American Journal of Psychiatry*, 157, 745-750.

Grant, B., & Dawson, D. (1997). Age at onset of alcohol use and its association with DSM-IV alcohol abuse and dependence: Results from the Longitudinal Alcohol Epidemiological Survey. *Journal of Adolescent Substance Abuse*, 9, 1-3-110.

Hedlund, J., Ulmer R., & Preusser D. (2001). Determine Why There are Fewer Young Alcohol-Impaired Drivers. DOT HS 809 348. Washington, D.C.: U.S. Department of Transportation.

Hingson, R., Heeren, T., & Winter, M. (2006). Age at drinking onset and alcohol dependence: Age at onset, duration, and severity. *Archives of Pediatric and Adolescent Medicine*, 160, 739-746.

Lees, B., Meredith, L. R., Kirkland, A. E., Bryant, B. E., & Squeglia, L. M. (2020). Effect of alcohol use on the adolescent brain and behavior. *Pharmacology, Biochemistry, and Behavior*, 192, 172906. <https://doi.org/10.1016/j.pbb.2020.172906>

McCartt, A., Hellinga, L., & Kirley, B. (2010). The effects of minimum legal drinking age 21 laws on alcohol-related driving in the United States. *Journal of Safety Research*, 41, 173-181.

McGue, M., Iacono, W., Legrand, L., Malone, S., & Elkins, I. (2001). Origins and consequences of age at first drink. II. Familial risk and heritability. *Alcoholism: Clinical and Experimental Research*, 25, 1166-1173.

National Highway Traffic Safety Administration. National Center for Statistics and Analysis. (2025). *Traffic Safety Facts 2023 Data: Young Drivers* (Publication No. DOT HS 813 736).

National Highway Traffic Safety Administration. (2005, March). *Traffic safety facts 2003: A compilation of motor vehicle crash data from the Fatality Analysis Reporting System and the General Estimates System* (Report No. DOT HS 809 860).

Shults, R., Elder, R., Sleet, D., Nichols, J., Alao, M., Carande-Kulis, V., Zaza, S., Sosin, D., Thompson, R., & Task Force on Community Preventive Services. (2001). Reviews of evidence regarding interventions to reduce alcohol-impaired driving. *American Journal of Preventive Medicine*, 21(4 Suppl), 66-88.

Voas, R., Tippetts, S., & Fell, J. (2003). Assessing the effectiveness of minimum legal drinking age and zero tolerance laws in the United States. *Accident Analysis & Prevention*, 35(4), 579-587.

Wagenaar, A., & Toomey T. (2002). Effects of minimum drinking age laws: Review and analyses of the literature from 1960 to 2000. *Journal of Studies on Alcohol*, 14, 206-225.