


SOURCE: SAMHSA, Estimates from the National Survey on Drug Use and Health, 2005-2014

1: Defined as drinking 5+ drinks on the same occasion on 5+ days in the past month

Heavy alcohol consumption¹ among

12- to 20-year-olds declined 43% proportionally from 2005 to 2014 and 8% from 2013 to 2014.



Most recent data available






SOURCE: SAMHSA, Estimates from the National Survey on Drug Use and Health, 2005-2014


1: Defined as drinking 5+ drinks on the same occasion at least one day in the past month

Binge drinking¹ among 12- to 20-year-olds declined 27% proportionally from 2005 to 2014 and 3% from 2013 to 2014.



Most recent data available





SOURCE: SAMHSA, Estimates from the National Survey on Drug Use and Health, 2005-2014




LATEST DATA SHOWS RECORD LOWS ACROSS ALL MEASURES

SOURCE: SAMHSA, Estimates from the National Survey on Drug Use and Health, 2005-2014

1: Defined as drinking 5+ drinks on the same occasion at least one day in the past month

2: Defined as drinking 5+ drinks on the same occasion on 5+ days in the past month

Alcohol consumption among 12- to 20-year-olds **hits record low.**




Most recent data available





LATEST DATA SHOWS **RECORD LOWS**





Fewer American youth reported drinking

more than 1,946,000 FEWER

12- to 20-year-olds consumed alcohol in the past 30 days.

12- to 20-year-olds reported binge drinking.

approximately 995,000 FEWER

12- to 20-year-olds were heavy alcohol consumers.

Most recent data available

SOURCE: SAMHSA. Estimates from the National Survey on Drug Use and Health, 2005-2014

